

SAFETY DATA SHEET

according to 1907/2006/EC, Article 3

Revision date: 30/03/2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking.

1.1 Product identifiers

Product name	n- heptane
Product Number	PSI064
Brand	PureSynth research chemicals
CAS No.	142-82-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : GC Standard

1.3 Details of the supplier of the safety data sheet

Company	PureSynth Research Chemicals Pvt. Ltd.
	A-27, A.P.I.E, Hyderabad, Telangana-500037

1.4 Emergency telephone number

Worldwide Helpline No.: 1800-120-1234-34

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 2), H225
 Skin irritation (Category 2), H315
 Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336
 Aspiration hazard (Category 1), H304
 Short-term (acute) aquatic hazard (Category 1), H400
 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word Danger

Hazard statement(s)

H225	Highly flammable liquid and vapor.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P210	Keep away from heat, hot surfaces, sparks, open flames and
------	--

	Other ignition sources. No smoking.
P233	Keep container tightly closed.
P273	Avoid release to the environment.
P301+ P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated Clothing. Rinse skin with water.
P331	Do NOT induce vomiting.
Supplemental Hazard Statements	none

2.3 Other hazards:

This substance/mixture contains no components considered to be either persistent, bio accumulative and toxic (PBT), or very persistent and very bio accumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition / information on ingredients

3.1 Substances

Common names & Synonyms	Mol. formula	CAS number
	C ₇ H ₁₆	142-82-5
Component	Classification	Concentration
n-heptane	Flam. Liq. 2; Skin Irrit. 2; STOT SE 3; Asp. Tox. 1; Aquatic Acute 1; Aquatic Chronic 1; H225, H315, H336, H304, H400, H410 Concentration limits:20 %: STOT SE 3, H336;M-Factor - Aquatic Acute:1 - Aquatic Chronic: 1	<= 100 %

SECTION 4: First aid measures

Description of first aid measures

General advice	Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	After inhalation: fresh air. Call in physician.
In case of skin contact	In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.
In case of eye contact	After eye contact: rinse out with plenty of water. Remove contact lenses.
If swallowed	After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary failure possible after aspiration of vomit. Call a physician immediately.
Most important symptoms and effects, both acute and delayed	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Indication of any immediate medical attention and special treatment needed	No data available

SECTION 5: Fire fighting measures

Extinguishing media	Carbon dioxide (CO ₂) Foam Dry powder
Suitable extinguishing media	Carbon oxides Flash back possible over considerable distance. Combustible.
Special hazards arising from the substance or mixture	Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapors possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.
Advice for fire-fighters	Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.
Further information	Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures	Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, and consult an expert. For personal protection see section 8.
Environmental precautions	Do not let product enter drains. Risk of explosion
Methods and materials for containment and cleaning up	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
Reference to other sections	For disposal see section 13.

SECTION 7: Handling and storage

Precautions for safe handling	Avoid generation of vapors/aerosols Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.
Conditions for safe storage, including any incompatibilities	Store under inert gas. Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Storage class (TRGS 510): 3: Flammable liquids
Specific end use(s)	Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls / Personal protection

Control parameters	Components with workplace control parameters
Exposure controls	
Appropriate engineering controls	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment:

Eye / face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses.

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Skin protection

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds the entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. . Risk of explosion.

SECTION 9: Physical and chemical properties

Appearance	Form: Liquid, Colour: Colourless
Odour	No data available
pH - Value	No data available
Density	0,68 g/cm ³ at 15 °C
Boiling Point	98,2 - 98,4 °C at 1.000 hPa
Melting Point	-91 °C
Solubility in water	No data available
Flash point	-4 °C - c.c.
Vapour pressure	111 hPa at 37,7 °C 53,3 hPa at 20,0 °C
Auto -ignition temperature	223,0 °C
Vapour density	No data available
Flammability (solid, gas)	No data available
Evaporation rate	No data available
Partition coefficient: n- octanol / water	Log Pow: > 3 - Bioaccumulation is not expected.
Viscosity	Viscosity, kinematic: 0,64 mm ² /s at 20 °C
Explosive properties	No data available
Upper / lower flammability or explosive limits	Upper explosion limit: 7 %(V) Lower explosion limit: 1,1 %(V)
Oxidizing properties	No data available

Other safety information: No data available

SECTION 10: Stability and reactivity

Reactivity	Vapors may form explosive mixture with air
Chemical stability	The product is chemically stable under standard ambient conditions (room temperature). Risk of ignition or formation of inflammable gases or vapours with:
Possibility of hazardous reactions	Strong oxidizing agents phosphorus in the presence of: Chlorine
Condition to avoid	Warming
Incompatible materials	rubber, various plastics
Hazardous decomposition products	In the event of fire: see section 5

SECTION 11: Toxicological information

Acute toxicity	LD50 Oral - Rat - male and female - > 5.000 mg/kg (OECD Test Guideline 401) Remarks: (in analogy to similar compounds) The value is given in analogy to the following substances: isooctane LC50 Inhalation - Rat - male and female - 4 h - > 29,29 mg/l (OECD Test Guideline 403) LD50 Dermal - Rabbit - male and female - > 2.000 mg/kg (OECD Test Guideline 402) Remarks: The value is given in analogy to the following substances: isooctane Skin - Rabbit Result: Irritating to skin. - 24 h (OECD Test Guideline 404)
Skin corrosion/irritation	Remarks: The value is given in analogy to the following substances: isooctane Repeated or prolonged exposure may cause skin irritation and dermatitis, due to Degreasing properties of the product. Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405)
Serious eye damage/eye irritation	Remarks: The value is given in analogy to the following substances: isooctane Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406) Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471
Respiratory or skin sensitization	Result: negative (OECD Test Guideline 406) Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471
Germ cell mutagenicity	Result: negative Test Type: Chromosome aberration test in vitro Test system: rat hepatocytes Method: OECD Test Guideline 473 Result: negative
Carcinogenicity	No data available
Reproductive toxicity	No data available
Specific target organ toxicity - single exposure	May cause drowsiness or dizziness. Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)
Specific target organ toxicity - repeated exposure	No data available

Aspiration hazard

May be fatal if swallowed and enters airways.
Aspiration hazard, Aspiration may cause pulmonary edema and pneumonitis.

Additional Information

RTECS: MI7700000
Prolonged or repeated exposure to skin causes defatting and dermatitis. Central nervous system depression, narcosis, Damage to the lungs. To the best of our knowledge, the chemical, physical, and toxicological properties have not
Been thoroughly investigated.
Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

Toxicity

Toxicity to fish	No data available
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 1,50 mg/l - 48 h Remarks: (ECHA)
Toxicity to algae	No data available
Toxicity to bacteria	No data available

Persistence and degradability

Biodegradability	aerobic - Exposure time 10 d Result: 70 % - Readily biodegradable. Remarks: (ECHA)
-------------------------	--

Biochemical Oxygen Demand (BOD)	1.920 mg/g Remarks: (IUCLID)
Theoretical oxygen demand	3.500 mg/g Remarks: (Lit.)
Ratio BOD/ThBOD	55 % Remarks: (Lit.)

Bio accumulative potential	Indication of bioaccumulation.
-----------------------------------	--------------------------------

Mobility in soil	No data available
-------------------------	-------------------

Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bio accumulative and toxic (PBT), or very persistent and very bio accumulative (vPvB) at levels of 0.1% or higher.
---	--

Other adverse effects	Additional ecological information- Do not empty into drains. Avoid release to the environment.
------------------------------	---

SECTION 13: Disposal considerations

Waste treatment methods	Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleansed containers like the product itself.
Products	
Contaminated packaging	Dispose of as unused product.

SECTION 14: Transport information

	UN no.	UN proper shipping name	Hazard Class(es)	Packaging group	Marine Pollutant
ADR / RID	1206	HEPTANES	3	II	Yes
IMDG	1206	HEPTANES	3	II	Yes
IATA	1206	Heptanes	3	II	No

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous Substances. : ENVIRONMENTAL HAZARDS
: FLAMMABLE LIQUIDS

Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16: Other information

The information in this SDS is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The user must be determined suitability of this information for his application.