

# **SAFETY DATA SHEET**

according to 1907/2006/EC, Article 3

Revision date: 12/08/2025

# SECTION 1: Identification of the substance/mixture and of the company/undertaking.

1.1 Product identifiers

Product name Acetone

Product Number PSR44248 / PSR38230 / PSR44977

**Brand** PureSynth research chemicals

**CAS No.** 67-64-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : PurSolv

1.3 Details of the supplier of the safety data sheet

Company PureSynth Research Chemicals GmbH.

64683 Einhausen Marie-Curie-StraBe. 3, Germany

1.4 Emergency telephone number

Worldwide Helpline No.: 1800-8908-260

### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 2), H225Eye

irritation (Category 2), H319

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336.

#### 2.2 Label elements

**Pictogram** 

Signal word

## Labelling according Regulation (EC) No 1272/2008

~

Hazard statement(s)

H225 Highly flammable liquid and vapor.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

Danger

Precautionary statement(s)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking,

P233 Keep container tightly closed.

PS-FORM-QA-11; Ver. No.: 2.0 Page **1** of **7** 



P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use non-sparking tools.

Supplemental Hazard Statements(EU)

**EUH066** Repeated exposure may cause skin dryness or cracking.

### 2.3 Other hazards:

This substance/mixture contains no components considered to be either persistent, bio accumulative and toxic (PBT), or very persistent and very bio accumulative (vPvB) atlevels of 0.1% or higher.

# **SECTION 3: Composition / information on ingredients**

#### 3.1 Substances

Common names & Mol. formula **CAS** number **Synonyms** 

 $C_3H_6O$ 67-64-1

Component Classification Concentration

> Flam. Liq. 2; Eye Irrit. 2; <= 100 %

STOT SE 3; H225, H319,

Acetone H336 Concentration limits:>= 20 %: STOT SE 3,

H336;

### **SECTION 4: First aid measures**

**Description of first aid measures** 

Consult a physician. Show this safety data sheet to the doctor in **General advice** 

attendance.

If inhaled After inhalation: fresh air. Call in physician.

In case of skin contact: Take off immediately all contaminated In case of skin contact

clothing. Rinse skin with water/ shower.

After eye contact: rinse out with plenty of water. Call in In case of eye contact

ophthalmologist. Remove contact lenses

After swallowing: immediately make victim drink water (two glasses at If swallowed

most). Consult a physician

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the

labelling (see section 2.2) and/or in section 11

Indication of any immediate medical

attention and special treatment

needed

No data available

# **SECTION 5: Fire fighting measures**

**Extinguishing media** 

Carbon dioxide (CO2) Foam Dry powder Suitable extinguishing media

Carbon oxides Combustible.

Special hazards arising from the

substance or mixture

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapors possible in

the event of fire.

PS-FORM-QA-11; Ver. No.: 2.0 Page 2 of 7



Forms explosive mixtures with air at ambient temperatures.

Advice for fire-fighters In the event of fire, wear self-contained breathing apparatus.

> Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the

ground water system.

### **SECTION 6: Accidental release measures**

**Further information** 

Personal precautions, protective

equipment and emergency

procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, and consult an

expert. For personal protection see section 8.

**Environmental precautions** Do not let product enter drains. Risk of explosion.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material. Dispose of

properly. Clean up affected area.

Reference to other sections For disposal see section 13.

# **SECTION 7: Handling and storage**

Precautions for safe handling Avoid generation of vapors/aerosols. Keep away from open flames, hot

> surfaces and sources of ignition. Take precautionary measures against static discharge. Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Storage class (TRGS 510): 3: Flammable liquids

Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are

stipulated

## **SECTION 8: Exposure controls / Personal protection**

**Control parameters** Components with workplace control parameters

**Exposure controls** 

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice.

Wash hands before breaks and at the end of workday.

Personal protective equipment:

Face shield and safety glasses Use equipment for eye protection tested Eye / face protection and approved under appropriate government standards such as NIOSH

(US) or EN 166(EU). Safety glasses.

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory

practices. Wash and dry hands.

Skin protection The selected protective gloves have to satisfy the specifications of

Regulation (EU) 2016/425 and the standard EN 374 derived from it. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation

PS-FORM-QA-11; Ver. No.: 2.0 Page 3 of 7



of anticipated use by our customers. It should not be construed as

offering an approval for any specific use scenario.

**Body Protection** Flame retardant antistatic protective clothing.

Required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to The used respiratory protection system. Recommended Filter type: Filter

Respiratory protection

type AX The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly

documented.

**Control of environmental** 

exposure

Do not let product enter drains. Risk of explosion.

# **SECTION 9: Physical and chemical properties**

Appearance Form: Liquid, clear

Colour: Colorless

**Odour** pungent, weakly aromatic

**pH - Value** 5 - 6 at 395 g/l at 20 °C

**Density** 0.791 g/cm3 at 25 °C - lit.

**Boiling Point** 56 °C at 1.013 hPa - lit.

**Melting Point** -94 °C - lit.

Solubility in water soluble, in all proportions

Flash point -17.0 °C - closed cup

Vapour pressure 245.3 hPa at 20,0 °C

Auto -ignition temperature 465.0 °C

Vapour densityNo data availableFlammability (solid, gas)No data availableEvaporation rateNo data availablePartition coefficient: n- octanol / waterNo data available

Viscosity No data available

**Explosive properties**No data available

Upper / lower flammability or explosive limits

Upper explosion limit: 13 %(V)
Lower explosion limit: 2 %(V)

Oxidizing properties No data available

### Other safety information:

Conductivity 0.01  $\mu$ S/cm at 20  $^{\circ}$ C

Surface tension 23.2 mN/m at 20,0 °C

PS-FORM-QA-11; Ver. No.: 2.0 Page **4** of **7** 



## **SECTION 10: Stability and reactivity**

**Reactivity** Vapors may form explosive mixture with air.

Chemical stability

The product is chemically stable under standard ambient conditions

(room temperature)

Risk of ignition or formation of inflammable gases or vapours with:

chromosulfuric acid

chromyl chloride ethanolamine Fluorine

Strong oxidizing agents strong reducing agents Nitric acid

chromium(VI) oxide Risk of explosion with: non-metallic oxyhalides

Possibility of hazardous reactions halogen-halogen compounds Chloroform

nitrating acid nitrosyl compounds hydrogen peroxide halogen oxides organic nitro compounds peroxi compounds Exothermic reaction

with: Bromine

Alkali metals alkali hydroxides

Halogenated hydrocarbon Sulfur dichloride phosphorous oxichloride

Condition to avoid Warming.

**Incompatible materials** rubber, various plastics

Hazardous decomposition products Carbon dioxide, Carbon monoxide

# **SECTION 11: Toxicological information**

Skin corrosion/irritation

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

LD50 Oral - Rat - female - 5.800 mg/kg Remarks: (ECHA)

LC50 Inhalation - Rat - 4 h - 76 mg/l Remarks: Unconsciousness

Acute toxicity Drowsiness

Dizziness (External MSDS)

LD50 Dermal - Rabbit - 20.000 mg/kg Remarks: (IUCLID)

Skin - Rabbit

Result: Mild skin irritation - 24 h(Draize Test)

Serious eye damage/eye irritation Eyes - Rabbit

Result: Eye irritation - 24 h (Draize Test)

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: Not a skin sensitizer.

Chronic exposure may cause dermatitis.

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation Method:

Result: negative Test Type: Ames test

Test system: Salmonella typhimurium

 $\label{lem:metabolic activation: with and without metabolic activation Method: \\$ 

Result: negative

Test Type: In vitro mammalian cell gene mutation test Test system:

Mouse lymphoma test

Metabolic activation: without metabolic activation

Result: negative
No data available.
No data available

Specific target organ toxicity - single

-----

exposure
Specific target organ toxicity -

repeated exposure Aspiration hazard

Inhalation - May cause drowsiness or dizziness. - Narcotic effects

No data available

RTECS: AL3150000

**Additional Information** To the best of our knowledge, the chemical, physical, and

toxicological properties have not been thoroughly investigated.

PS-FORM-QA-11; Ver. No.: 2.0 Page **5** of **7** 



After absorption:

Headache Salivation Nausea Vomiting

Dizziness narcosis

Coma

Other dangerous properties cannot be excluded.

Handle in accordance with good industrial hygiene and safety

practice.

Kidney - Irregularities - Based on Human Evidence Skin - Dermatitis - Based on Human Evidence

# **SECTION 12: Ecological information**

**Toxicity** 

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) -

6.210 mg/l - 96 h

Toxicity to daphnia and other aquatic

static test LC50 - Daphnia pulex (Water flea) - 8.800 mg/l - 48 h

invertebrates

Toxicity to algae

Remarks: (ECHA)

static test NOEC - M.aeruginosa - 530 mg/l - 8 d

Remarks: (maximum permissible toxic concentration)

Toxicity to bacteria static test EC50 - activated sludge – 61.15 mg/l - 30 min

aerobic - Exposure time 28 d

**Persistence and degradability** Result: 91 % - Readily biodegradable.

(OECD Test Guideline 301B)

Biochemical Oxygen
Demand (BOD)
Chemical Oxygen
Demand (COD)
Theoretical oxygen

1.850 mg/g
Remarks: (IUCLID)
2.070 mg/g
Remarks: (IUCLID)
2.200 mg/g

demand Remarks: (Lit.)

Bio accumulative potential Does not bioaccumulate

Mobility in soil No data available

This substance/mixture contains no components considered to be either persistent, bio accumulative and toxic (PBT), or very persistent

and very bio accumulative (vPvB) at levels of 0.1% or higher.

Other adverse effects No data available

# **SECTION 13: Disposal considerations**

**Products** 

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste

Waste treatment methods material must be disposed of in accordance with the Directive on waste

2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like

the product itself.

**Contaminated packaging** Dispose of as unused product.

# **SECTION 14: Transport information**

	UN no.	UN proper shipping name	Hazard Class(es)	Packaging group	Marine Pollutant
ADR / RID	1090	Acetone	3	II	No
IMDG	1090	Acetone	3	II	No
IATA	1090	Acetone	3	II	No

PS-FORM-QA-11; Ver. No.: 2.0 Page **6** of **7** 



# **SECTION 15: Regulatory information**

## Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### **National legislation**

Seveso III: Directive 2012/18/EU of the European : FLAMMABLE LIQUIDS Parliament and of the Council on the control of major-accident hazards involving dangerous Substances.

### Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

### **Chemical safety assessment**

For this product a chemical safety assessment was not carried out.

## **SECTION 16: Other information**

The information in this SDS is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The user must be determined suitability of this information for his application.

PS-FORM-QA-11; Ver. No.: 2.0 Page **7** of **7**