

SAFETY DATA SHEET

according to 1907/2006/EC, Article 3

Version no. : 2.1
Prepared on : 05.11.2025
Revised on : -

SECTION 1: Identification of the substance/mixture and of the company/undertaking.

1.1 Product identifiers

Product name HydraTrace Solvent CM
Product Number PSR48206
Brand PureSynth research chemicals
CAS No. NA

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : HydraTrace

1.3 Details of the supplier of the safety data sheet

Company PureSynth Research Chemicals GmbH.
64683 Einhausen Marie-Curie-StraBe. 3, Germany

1.4 Emergency telephone number

Worldwide Helpline No.: 1800-8908-260

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Flammable liquids, (Category 2)	H225: Highly flammable liquid and vapour.
Acute toxicity, (Category 3)	H301: Toxic if swallowed.
Acute toxicity, (Category 4)	H332: Harmful if inhaled.
Acute toxicity, (Category 3)	H311: Toxic in contact with skin.
Skin irritation, (Category 2)	H315: Causes skin irritation.
Eye irritation, (Category 2)	H319: Causes serious eye irritation.
Reproductive toxicity, (Category 1B)	H360D: May damage the unborn child.
Specific target organ toxicity - single exposure, (Category 1), Eyes, Central nervous system	H370: Causes damage to organs.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word Danger

Hazard statement(s)

H225	Highly flammable liquid and vapour.
H301 + H311	Toxic if swallowed or in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.

H332	Harmful if inhaled.
H360D	May damage the unborn child.
H370	Causes damage to organs (Eyes, Central nervous system).

Precautionary statement(s)

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

2.3 Other hazards: This substance/mixture contains no components considered to be either persistent, bio accumulative and toxic (PBT), or very persistent and very bio accumulative (vPvB) at levels of 0.1% or higher

SECTION 3: Composition / information on ingredients

3.1 Substances

Common names & Synonyms	Mol. formula	CAS number
-	-	-
Component	Classification	Concentration
hexan-1-ol	Flam. Liq. 3; Acute Tox. 4; Eye Irrit. 2; H226, H302, H312, H319	>= 30 - < 50 %
Methanol	Flam. Liq. 2; Acute Tox. 3; STOT SE 1; H225, H301, H331, H311, H370 Concentration limits: >= 10 %: STOT SE 1, H370; 3 - < 10 %: STOT SE 2, H371; Flam. Liq. 2; Eye Irrit. 2; STOT SE 3; H225, H319, H336 Concentration limits: >= 20 %: STOT SE 3, H336;	>= 20 - < 30 %
2-Propanol	Acute Tox. 4; Skin Corr. 1C; Eye Dam. 1; Repr. 1B; H302, H314, H318, H360D	>= 1 - < 10 %
Imidazole	Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; STOT RE 1; Aquatic Acute 1; H302, H332, H312, H315, H319, H335, H372, H400 M-Factor - Aquatic Acute: 1	>= 1 - < 3 %
Iodine		>= 0.25 - < 1 %

SECTION 4: First aid measures

Description of first aid measures

General advice	First aiders need to protect themselves. Show this safety data sheet to the doctor in attendance.
If inhaled	After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.
In case of skin contact	In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.
In case of eye contact	After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.
If swallowed	After swallowing: fresh air. Make victim drink ethanol (e.g. 1 drinking glass of a 40% alcoholic beverage). Call a doctor immediately (mention methanol ingestion). Only in exceptional cases, if no medical care is available within one hour, induce vomiting (only in fully conscious persons) and make victim drink ethanol again (approx. 0.3 ml of a 40% alcoholic beverage/kg body weight/hour).
Most important symptoms and effects, both acute and delayed	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Indication of any immediate medical attention and special treatment needed	No data available

SECTION 5: Fire fighting measures

Extinguishing media	Carbon dioxide (CO ₂) Dry powder Foam
Suitable extinguishing media	
Unsuitable extinguishing media	For this substance/mixture no limitations of extinguishing agents are given. Carbon oxides Nitrogen oxides (NO _x) Hydrogen cyanide (hydrocyanic acid) Combustible.
Special hazards arising from the substance or mixture	Fire may cause evolution of: nitrogen oxides, Sulphur oxides Pay attention to flashback. Vapours are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire.
Advice for fire-fighters	Forms explosive mixtures with air at ambient temperatures. Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.
Further information	Remove container from danger zone and cool with water. Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures	Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
Environmental precautions	Do not let product enter drains. Risk of explosion.
Methods and materials for containment and cleaning up	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material. Dispose of properly. Clean up affected area.
Reference to other sections	For disposal see section 13.

SECTION 7: Handling and storage

Precautions for safe handling	Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.
Hygiene measures	Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.
Conditions for safe storage, including any incompatibilities	Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorised persons. -70°C Degree Freezer
Specific end use(s)	Storage class (TRGS 510): 3: Flammable liquids Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls / Personal protection

Control parameters	Ingredients with workplace control parameters
Exposure controls	
Personal protective equipment:	
Eye / face protection	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves
Skin protection	
Body Protection	Flame retardant antistatic protective clothing. required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type ABEK
Respiratory protection	
Control of environmental exposure	Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

Appearance	Form: liquid
Odour	Colour: colourless alcohol-like
pH - Value	5.9 at 20 °C
Density	0.86 g/cm ³ at 20 °C
Boiling Point	No data available
Melting Point	No data available
Solubility in water	No data available
Flash point	19 °C
Vapour pressure	No data available
Auto -ignition temperature	No data available
Vapour density	No data available
Flammability (solid, gas)	No data available
Evaporation rate	No data available
Partition coefficient: n- octanol / water	No data available
Viscosity	No data available
Explosive properties	Not classified as explosive.
Upper / lower flammability or explosive limits	No data available
Oxidizing properties	None

Other safety information: No data available

SECTION 10: Stability and reactivity

Reactivity	Vapours may form explosive mixture with air.
Chemical stability	The product is chemically stable under standard ambient conditions (room temperature) . Risk of explosion with: Oxidizing agents perchloric acid perchlorates salts of oxyhalogenic acids chromium(VI) oxide halogen oxides nitrogen oxides nonmetallic oxides chromosulfuric acid chlorates hydrides zinc diethyl Halogens powdered magnesium hydrogen peroxide Nitric acid sulfuric acid permanganic acid sodium hypochlorite
Possibility of hazardous reactions	Exothermic reaction with: acid halides Acid anhydrides Reducing agents Acids Bromine Chlorine Chloroform Magnesium tetrachloromethane TITANIUM TETRACHLORIDE Risk of ignition or formation of inflammable gases or vapours with: Fluorine Oxides of phosphorus Raney-nickel Generates dangerous gases or fumes in contact with: Alkaline earth metals Alkali metals Aluminium
Condition to avoid	Warming
Incompatible materials	various plastics, Magnesium, zinc alloys
Hazardous decomposition products	In the event of fire: see section 5

SECTION 11: Toxicological information

	Oral: No data available
Acute toxicity	Acute toxicity estimate Inhalation - 4 h – 10.69 mg/l - vapour Symptoms: Possible symptoms:, mucosal irritations Acute toxicity estimate Dermal – 725.13 mg/kg
Skin corrosion/irritation	Mixture causes skin irritation
Serious eye damage/eye irritation	Mixture causes serious eye irritation.
Respiratory or skin sensitization	No data available
Germ cell mutagenicity	No data available
Carcinogenicity	No data available
Reproductive toxicity	May harm the unborn child.
Specific target organ toxicity - single exposure	Mixture causes damage to organs. - Eyes, Central nervous system
Specific target organ toxicity - repeated exposure	No data available
Aspiration hazard	No data available
Additional Information	
Endocrine disrupting properties	
Assessment	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

SECTION 12: Ecological information

Toxicity	No data available
Persistence and degradability	No data available
Bio accumulative potential	No data available
Mobility in soil	No data available
Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bio accumulative and toxic (PBT), or very persistent and very bio accumulative (vPvB) at Levels of 0.1% or higher.
Endocrine disrupting properties	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Other adverse effects	

SECTION 13: Disposal considerations

Waste treatment methods	Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.
Products	
Contaminated packaging	Dispose of as unused product.

SECTION 14: Transport information

	UN no.	UN proper shipping name	Hazard Class(es)	Packaging group	Marine Pollutant
ADR / RID	1992	FLAMMABLE LIQUID, TOXIC, N.O.S. (Methanol, hexan-1-ol)	3 (6.1)	II	No
IMDG	1992	FLAMMABLE LIQUID, TOXIC, N.O.S. (Methanol, hexan-1-ol)	3 (6.1)	II	No
IATA	1992	Flammable liquid, toxic, n.o.s. (Methanol, hexan- 1-ol)	3 (6.1)	II	No

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

The information in this SDS is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The user must be determined suitability of this information for his application.