

SAFETY DATA SHEET

according to 1907/2006/EC, Article 3

Version no. : 2.1
Prepared on : 30.03.2019
Revised on : 01.04.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking.

1.1 Product identifiers

Product name Benzene
Product Number PSR28263 / PSR38706
Brand PureSynth research chemicals
CAS No. 71-43-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory Chemicals

1.3 Details of the supplier of the safety data sheet

Company PureSynth Research Chemicals GmbH
64683 Einhausen Marie-Curie-StraBe. 3, Germany

1.4 Emergency telephone number

Worldwide Helpline No.: 1800-8908-260

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 2), H225
Skin irritation (Category 2), H315
Eye irritation (Category 2), H319
Germ cell mutagenicity (Category 1B), H340
Carcinogenicity (Category 1A), H350
Specific target organ toxicity - repeated exposure (Category 1), Blood, H372
Aspiration hazard (Category 1), H304
Long-term (chronic) aquatic hazard (Category 3), H412

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapor
H304 May be fatal if swallowed and enters airways
H315 Causes skin irritation.

H319	May cause drowsiness or dizziness
H340	Suspected of damaging fertility.
H350	May cause damage to organs (Nervous system) through Prolonged or repeated exposure if inhaled.
H372	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P210	Keep away from heat, hot surfaces, sparks, open flames and Other ignition sources. No smoking.
P273	Avoid release to the environment.

Response:

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated Clothing. Rinse skin with water.
P305+P353+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue Rinsing.
P331	Do not induce vomiting

Supplemental Hazard Statements	None
--------------------------------	------

2.3 Other hazards:

This substance/mixture contains no components considered to be either persistent, bio accumulative and toxic (PBT), or Very persistent and very bio accumulative (vPvB) at levels of 0.1% or higher

SECTION 3: Composition / information on ingredients

3.1 Substances

Common names & Synonyms	Mol. formula	CAS number
-	C ₆ H ₆	71-43-2
Component	Classification	Concentration
benzene	-	<= 100 %

SECTION 4: First aid measures

Description of first aid measures

General advice	Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	After inhalation: fresh air. Call in physician.
In case of skin contact	In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.
In case of eye contact	After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses
If swallowed	After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary failure possible after aspiration of vomit. Call a physician immediately
Most important symptoms and effects, both acute and delayed	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Indication of any immediate medical attention and special treatment needed	No data available

SECTION 5: Fire fighting measures

Extinguishing media	Carbon dioxide (CO ₂) Foam Dry powder
Suitable extinguishing media	
Special hazards arising from the substance or mixture	Carbon oxides Flash back possible over considerable distance., Container explosion may occur under fire Conditions. Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapors possible in the event of fire.
Advice for fire-fighters	Forms explosive mixtures with air at ambient temperatures. Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.
Further information	Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures	Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.
Environmental precautions	Do not let product enter drains. Risk of explosion.
Methods and materials for containment and cleaning up	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb [®]). Dispose of properly. Clean up affected area
Reference to other sections	For disposal see section 13.

SECTION 7: Handling and storage

Precautions for safe handling	Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge. Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.
Conditions for safe storage, including any incompatibilities	Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons. persons Storage class (TRGS 510): 3: Flammable liquids
Specific end use(s)	Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls / Personal protection

Control parameter	Occupational Exposure Limits
Personal protective equipment:	
Eye / face protection	Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses.
Skin protection	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.
Body Protection	Flame retardant antistatic protective clothing.
Respiratory protection	Recommended Filter type: Filter A (Filter A-(P3) The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out According to the instructions of the producer. These measures have to be properly documented.
Control of environmental exposure	Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

Appearance	Form: Liquid Colour: Colourless
Odour	No data available
pH - Value	No data available
Density	0.874 g/cm ³ at 25 °C - lit.
Boiling Point	80 °C - lit.
Melting Point	5.5 °C - lit.
Solubility in water	ca.1.88 g/l at 23,5 °C - soluble
Flash point	-11 °C - DIN 51755 Part 1
Vapour pressure	100 hPa at 20 °C
Auto -ignition temperature	498 °C at 1013.5 hPa
Vapour density	No data available
Flammability (solid, gas)	No data available
Evaporation rate	No data available
Partition coefficient: n- octanol / water	log Pow: 2.13 (25 °C), pH: 7 Bioaccumulation is not expected.
Viscosity	Viscosity, kinematic: 0.604 mm ² /s at 25 °C
Explosive properties	Not classified as explosive.
Upper / lower flammability or explosive limits	Upper explosion limit 8.0 %(V) Lower explosion limit 1.2 %(V)
Oxidizing properties	No data available

Other safety information: Self-ignition: 498 °C 1,013.5 hPa

SECTION 10: Stability and reactivity

Reactivity	Vapours may form explosive mixture with air.
Chemical stability	The product is chemically stable under standard ambient conditions (room temperature). Exothermic reaction with: halogens Halogenated hydrocarbon in the presence of: Light metals Risk of explosion with: halogen-halogen compounds Nitric acid Boranes Ozone peroxi compounds perchlorates per manganic acid perchloryl fluoride
Possibility of hazardous reactions	Strong oxidizing agents Chlorine fluorides uranium hexafluoride Oxygen liquid Risk of ignition or formation of inflammable gases or vapours with: chromium(VI) oxide Fluorine nitrile compounds Oxygen oxyhalogenic compounds Violent reactions possible with: mineral acids sulphur
Condition to avoid	Warming
Incompatible materials	No data available
Hazardous decomposition products	In the event of fire: see section 5

SECTION 11: Toxicological information

Acute toxicity	LD50 Oral - Rat - male - > 2.000 mg/kg (OECD Test Guideline 401) Symptoms: Nausea LD50 Oral - Rat - male and female - 3.002 mg/kg (OECD Test Guideline 401) Symptoms: Risk of aspiration upon vomiting., Aspiration may cause pulmonary oedema and pneumonitis. Symptoms: mucosal irritations LD50 Dermal - Rabbit - 13.630 mg/kg
-----------------------	--

Skin corrosion/irritation	<p>Skin - Rabbit Result: Irritating to skin. (OECD Test Guideline 404) Drying-out effect resulting in rough and chapped skin.</p>
Serious eye damage/eye irritation	<p>Eyes - Rabbit Result: Eye irritation (OECD Test Guideline 405)</p>
Respiratory or skin sensitization	<p>Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406)</p>
Germ cell mutagenicity	<p>May cause genetic defects. Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: Chromosome aberration test in vitro Test system: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative Test Type: Mutagenicity (mammal cell test): micronucleus. Species: Mouse Cell type: Bone marrow Application Route: inhalation (vapour) Method: OECD Test Guideline 474 Result: positive</p>
Carcinogenicity	<p>May cause cancer. Positive evidence from human epidemiological studies.</p>
Reproductive toxicity	<p>No data available</p>
Specific target organ toxicity - single exposure	<p>No data available</p>
Specific target organ toxicity - repeated exposure	<p>Causes damage to organs through prolonged or repeated exposure. - Blood</p>
Aspiration hazard	<p>Aspiration may cause pulmonary oedema and pneumonitis.</p>
Additional Information	
Endocrine disrupting properties	
Assessment	<p>The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Repeated dose toxicity - Rat - male and female - Oral - 13 Weeks - No observed adverse effect level - 600 mg/kg RTECS: CY1400000 Nausea, Dizziness, Headache, narcosis, Inhalation of high concentrations of benzene may have an initial stimulatory effect on the central nervous system characterized by Exhilaration, nervous excitation and/or giddiness, depression, drowsiness, or fatigue. The Victim may experience tightness in the chest, breathlessness, and loss of consciousness. Tremors, convulsions, and death due to respiratory paralysis or circulatory collapse can Occur in a</p>

few minutes to several hours following severe exposures. Aspiration of small amounts of liquid immediately causes pulmonary edema and haemorrhage of pulmonary Tissue. Direct skin contact may cause erythema. Repeated or prolonged skin contact may Result in drying, scaling dermatitis, or development of secondary skin infections. The onset of effects of prolonged benzene exposure may be delayed for many months or years after the actual exposure has ceased., Blood disorders
To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Systemic effects:

After absorption of large quantities:

Narcosis, respiratory arrest, Convulsions

Possible damages:

Damage to: Liver, Kidney, Central nervous system

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

Toxicity

Toxicity to fish

LC50 (*Oryzias latipes* (Orange-red killifish)): > 100 mg/l

End point: mortality

Exposure time: 96 h

Test Type: semi-static test

Analytical monitoring: yes

Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

EC50 (*Daphnia magna* (Water flea)): > 1.000 mg/l

End point: Immobilization

Exposure time: 48 h

Test Type: semi-static test

Analytical monitoring: yes

Method: OECD Test Guideline 202

NOEC (*Daphnia magna* (Water flea)): > 1.000 mg/l

End point: Immobilization

Exposure time: 48 h

Test Type: semi-static test

Analytical monitoring: yes

Method: OECD Test Guideline 202

Toxicity to algae

static test ErC50 - *Pseudokirchneriella subcapitata* (green algae) - 1.00 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria

static test IC50 - - 13 mg/l - 24 h

Remarks: (ECHA)

Persistence and degradability

aerobic - Exposure time 28 d

Result: 96 % - Readily biodegradable.

(OECD Test Guideline 301F)

Bio accumulative potential

Leuciscus idus (Golden orfe) - 3 d

- 0,05 mg/l(benzene)

Bio concentration factor (BCF): 10

Mobility in soil

No data available

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bio accumulative and toxic (PBT), or very persistent and very bio accumulative (vPvB) at Levels of 0.1% or higher.

Endocrine disrupting properties

Product

Assessment: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher Endangers drinking-water supplies if allowed to enter soil or water. Discharge into the environment must be avoided.

Other adverse effects

SECTION 13: Disposal considerations

**Waste treatment methods
Products**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste.

Contaminated packaging

No data available

SECTION 14: Transport information

	UN no.	UN proper shipping name	Hazard Class(es)	Packaging group	Marine Pollutant
ADR / RID	1114	BENZENE	3	II	No
IMDG	1114	BENZENE	3	II	No
IATA	1114	Benzene	3	II	No

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered:

Number on list 3

Number on list 5: benzene

Number on list 28: benzene

Number on list 29: benzene

Number on list 40

Number on list 72: benzene

Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). Regulation (EU) No 2024/590 on substances that deplete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast)

Not applicable

REACH - List of substances subject to authorisation (Annex XIV)

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

P5c FLAMMABLE LIQUIDS

Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16: Other information

The information in this SDS is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The user must be determined suitability of this information for his application.