

Certificate of Analysis

Product Name:

Mercuric Bromide Paper, *PurReagent*, according to EP Chapter 4 (4.1.1) for the Determination of Arsenic

Product No.: PSR39374
Lot No.: Sample COA
Brand: PureSynth
CAS No.: NA
Molecular Formula: NA
Molecular Weight: NA
Date of Mfg.: NA
Date of Exp.: NA

Test	Specification	Result
Appearance	White or off-white filter paper uniformly impregnated with mercuric bromide	Complies
Performance Test	Complies	Complies

This product was manufactured in accordance with the requirements of the current edition of the 4 (4.1.1) of European Pharmacopoeia.

Remarks:

This is to certify that the mentioned batch has been analysed at the time of quality release and has been found to be in compliance with prescribed specifications
The current Specification sheet may be available at www.pure-synth.com
Inspect on receipt

Storage Condition:

Store at a room temperature and keep the container tightly closed.

PureSynth Research Chemicals GmbH

This is electronically-generated copy & is valid without a signature

The Certificate of Analysis (COA) is valid only for the lot specified and within the product's shelf life. Retesting is recommended after the expiry date or if storage conditions are compromised. We guarantee a proper quality within our General Conditions of Sales. The conditions are subject to change without prior notice.
For queries on this COA, please contact our technical team at technical@pure-synth.com