

Certificate of Analysis

Product Name:

HydraTrace Solvent

Product No.: PSR48204
Lot No.: Sample COA
Brand: PureSynth
CAS No.: Mixture
Molecular Formula: NA
Molecular Weight: NA
Date of Mfg.: NA
Date of Exp.: NA

Test	Specification	Result
Appearance	Colorless Liquid	Colorless Liquid
Assay of water (Vol. KF)	0.01-0.02 Vol. %	0.019 Vol. %
Number of samples (n)	minimum 2	3
Suitability (for KF-Titration)	Complies	Complies

Remarks:

This is to certify that the mentioned batch has been analysed at the time of quality release and has been found to be in compliance with prescribed specifications

The current Specification sheet may be available at www.pure-synth.com

Inspect on receipt

For cells with diaphragm, Acetonitrile based.

Storage Condition:

Store at room temperature and keep the container tightly closed

PureSynth Research Chemicals GmbH

This is electronically-generated copy & is valid without a signature

The Certificate of Analysis (COA) is valid only for the lot specified and within the product's shelf life. Retesting is recommended after the expiry date or if storage conditions are compromised. We guarantee a proper quality within our General Conditions of Sales. The conditions are subject to change without prior notice.
For queries on this COA, please contact our technical team at technical@pure-synth.com