

Certificate of Analysis

Product Name:

Capping B2 (60 % Lutidine in Acetonitrile) *PurOligo*

Product No.: PSR48555
Lot No.: Sample COA
Brand: PureSynth
CAS No.: 2,6-Lutidine: 108-48-5
Acetonitrile: 75-05-8
Molecular Formula: 2,6-Lutidine: C₇H₉N
Acetonitrile: C₂H₃N
Molecular Weight: 2,6-Lutidine: 107.15 g/mol
Acetonitrile: 41.053 g/mol
Date of Mfg.: NA
Date of Exp.: NA

Test	Specification	Result
Appearance	Clear Solution	Conforms
2,6-Lutidine Purity (By GC)	≥ 98.5 %	98.95 %
Acetonitrile Purity (By GC)	≥ 99.9 %	99.95 %
Water Content (By KF)	≤ 50 ppm	45.23 ppm
Refractive index	1.435 – 1.439	1.437

Remarks:

This is to certify that the mentioned batch has been analysed at the time of quality release and has been found to be in compliance with prescribed specifications

The current Specification sheet may be available at www.pure-synth.com

Inspect on receipt

Storage Condition:

Store at a room temperature and keep the container tightly closed.

PureSynth Research Chemicals GmbH

This is electronically-generated copy & is valid without a signature

The Certificate of Analysis (COA) is valid only for the lot specified and within the product's shelf life. Retesting is recommended after the expiry date or if storage conditions are compromised. We guarantee a proper quality within our General Conditions of Sales. The conditions are subject to change without prior notice.

For queries on this COA, please contact our technical team at technical@pure-synth.com