

Certificate of Analysis

Product Name:

Oxidizer 0.05 M Iodine in Pyridine / Water (V / V = 90 : 10) *PurOligo*

Product No.: PSR48559
Lot No.: Sample COA
Brand: PureSynth
CAS No.: Pyridine: 110-86-1
Water: 7732-18-5
Iodine: 7553-56-2
Molecular Formula: Pyridine: C₅H₅N
Water: H₂O
Iodine: I₂
Molecular Weight: Pyridine: 79.10 g/mol
Water: 18.01 g/mol
Iodine: 253.8 g/mol
Date of Mfg.: NA
Date of Exp.: NA

Test	Specification	Result
Appearance	Dark brown Solution	Dark brown Solution
Iodine Content (By Titration)	0.045 – 0.055 M	0.050 M
Pyridine Content (By GC)	89.0 - 91.0 Vol%	90.02 Vol%
Water Content (By Titration)	9.0 - 11.0 Vol%	10.05 Vol%
Refractive index	1.497 - 1.499	1.498
Pyridine Purity	≥ 99.9 %	99.99 %
Iodine Purity	≥ 99.8 %	99.90 %

The Certificate of Analysis (COA) is valid only for the lot specified and within the product's shelf life. Retesting is recommended after the expiry date or if storage conditions are compromised. We guarantee a proper quality within our General Conditions of Sales. The conditions are subject to change without prior notice.
For queries on this COA, please contact our technical team at technical@pure-synth.com

Remarks:

This is to certify that the mentioned batch has been analysed at the time of quality release and has been found to be in compliance with prescribed specifications

The current Specification sheet may be available at www.pure-synth.com

Inspect on receipt

Storage Condition:

Store at room temperature and keep the container tightly closed

PureSynth Research Chemicals GmbH

This is electronically-generated copy & is valid without a signature

The Certificate of Analysis (COA) is valid only for the lot specified and within the product's shelf life. Retesting is recommended after the expiry date or if storage conditions are compromised. We guarantee a proper quality within our General Conditions of Sales. The conditions are subject to change without prior notice.

For queries on this COA, please contact our technical team at technical@pure-synth.com