64683 Einhausen Marie-Curie-StraBe. 3, Germany
Website: www.pure-synth.com
Phone: 1800-8908-260
Email: info@pure-synth.com

PureSynth®
Research Chemicals

Certificate of Analysis

Product Name:
pH 12.46 Buffer Solution at 25°C (pH 12.46 ± 0.05) PurCert

Product No.:	PSR50206
Lot No.:	Sample COA
Brand:	PureSynth
CAS No.:	NA
Molecular Formula:	NA
Molecular Weight:	NA
Date of Mfg.:	NA
Date of Exp.:	NA

Test	Specification	Result
Appearance	Liquid	Liquid
pH	12.46 ± 0.05	12.46

***Traceable to Standard Reference Material of National Institute of Standards and Technology (USA), SRM 191d-I Sodium Bicarbonate, SRM 191d-II Sodium Carbonate, SRM 186-I-g Potassium Dihydrogen Phosphate and SRM 186-II-g Disodium Hydrogen Phosphate.**

Remarks:
This is to certify that the mentioned batch has been analysed at the time of quality release and has been found to be in compliance with prescribed specifications
The current Specification sheet may be available at www.pure-synth.com
Inspect on receipt

Storage Condition:
Store at a room temperature and keep the container tightly closed.

PureSynth Research Chemicals GmbH
This is electronically-generated copy & is valid without a signature

The Certificate of Analysis (COA) is valid only for the lot specified and within the product's shelf life. Retesting is recommended after the expiry date or if storage conditions are compromised. We guarantee a proper quality within our General Conditions of Sales. The conditions are subject to change without prior notice.
For queries on this COA, please contact our technical team at technical@pure-synth.com