

## Certificate of Analysis

Product Name:

**Nitric acid PurTrace Ultrapure for Ultra Trace Analysis, 67-70%**  
(Below 10 ppt impurities)

Product No.: PSR50268  
Lot No.: Sample COA  
Brand: PureSynth  
CAS No.: 7697-37-2  
Molecular Formula: HNO<sub>3</sub>  
Molecular Weight: 63.01 g/mol  
Date of Mfg.: NA  
Date of Exp.: NA

Test	Specification	Result
Appearance	Light yellow liquid	Light yellow liquid
Assay	67.0 - 70.0 %	68.60 %
Aluminum (Al)	NMT 1 ppt	0.4 ppt
Antimony (Sb)	NMT 0.1 ppt	<0.1 ppt
Arsenic (As)	NMT 0.1 ppt	<0.1 ppt
Barium (Ba)	NMT 1 ppt	<0.1 ppt
Beryllium (Be)	NMT 0.1 ppt	<0.1 ppt
Bismuth (Bi)	NMT 0.1 ppt	<0.1 ppt
Boron (B)	NMT 10 ppt	4.55 ppt
Cadmium (Cd)	NMT 1 ppt	<0.1 ppt
Calcium (Ca)	NMT 10 ppt	8.55 ppt
Cerium (Ce)	NMT 0.1 ppt	<0.1 ppt
Cesium (Cs)	NMT 0.1 ppt	<0.1 ppt
Chromium (Cr)	NMT 1 ppt	0.35 ppt
Cobalt (Co)	NMT 0.1 ppt	<0.1 ppt
Copper (Cu)	NMT 1 ppt	<0.1 ppt
Dysprosium (Dy)	NMT 0.1 ppt	<0.1 ppt
Erbium (Er)	NMT 0.1 ppt	<0.1 ppt
Europium (Eu)	NMT 0.1 ppt	<0.1 ppt
Gadolinium (Gd)	NMT 0.1 ppt	<0.1 ppt
Gallium (Ga)	NMT 1 ppt	<0.1 ppt
Germanium (Ge)	NMT 1 ppt	<0.1 ppt
Gold (Au)	NMT 1 ppt	<0.1 ppt
Hafnium (Hf)	NMT 0.1 ppt	<0.1 ppt
Holmium (Ho)	NMT 0.1 ppt	<0.1 ppt
Indium (In)	NMT 0.1 ppt	<0.1 ppt

The Certificate of Analysis (COA) is valid only for the lot specified and within the product's shelf life. Retesting is recommended after the expiry date or if storage conditions are compromised. We guarantee a proper quality within our General Conditions of Sales. The conditions are subject to change without prior notice.  
For queries on this COA, please contact our technical team at [technical@pure-synth.com](mailto:technical@pure-synth.com)

Test	Specification	Result
Iridium (Ir)	NMT 0.1 ppt	<0.1 ppt
Iron (Fe)	NMT 2 ppt	0.15 ppt
Lanthanum (La)	NMT 0.1 ppt	<0.1 ppt
Lead (Pb)	NMT 0.1 ppt	<0.1 ppt
Lithium (Li)	NMT 0.1 ppt	<0.1 ppt
Lutetium (Lu)	NMT 0.1 ppt	<0.1 ppt
Magnesium (Mg)	NMT 1 ppt	0.4 ppt
Manganese (Mn)	NMT 0.1 ppt	<0.1 ppt
Mercury (Hg)	NMT 10 ppt	2.64 ppt
Molybdenum (Mo)	NMT 1 ppt	0.15 ppt
Neodymium (Nd)	NMT 0.1 ppt	<0.1 ppt
Nickel (Ni)	NMT 10 ppt	<0.1 ppt
Niobium (Nb)	NMT 0.1 ppt	<0.1 ppt
Osmium (Os)	NMT 0.1 ppt	<0.1 ppt
Palladium (Pd)	NMT 0.5 ppt	<0.1 ppt
Platinum (Pt)	NMT 5 ppt	<0.1 ppt
Potassium (K)	NMT 0.5 ppt	<0.5 ppt
Praseodymium (Pr)	NMT 0.1 ppt	<0.1 ppt
Rhenium (Re)	NMT 0.1 ppt	<0.1 ppt
Rhodium (Rh)	NMT 0.1 ppt	<0.1 ppt
Rubidium (Rb)	NMT 0.1 ppt	<0.1 ppt
Ruthenium (Ru)	NMT 0.1 ppt	<0.1 ppt
Samarium (Sm)	NMT 0.1 ppt	<0.1 ppt
Scandium (Sc)	NMT 0.1 ppt	<0.1 ppt
Selenium (Se)	NMT 1 ppt	<0.1 ppt
Silver (Ag)	NMT 0.1 ppt	<0.1 ppt
Sodium (Na)	NMT 0.5 ppt	0.36 ppt
Strontium (Sr)	NMT 0.1 ppt	<0.1 ppt
Tantalum (Ta)	NMT 1 ppt	<0.1 ppt
Tellurium (Te)	NMT 0.1 ppt	<0.1 ppt
Terbium (Tb)	NMT 0.1 ppt	<0.1 ppt
Thallium (Tl)	NMT 0.1 ppt	<0.1 ppt
Thorium (Th)	NMT 0.1 ppt	<0.1 ppt
Thulium (Tm)	NMT 0.1 ppt	<0.1 ppt
Tin (Sn)	NMT 0.1 ppt	<0.1 ppt
Titanium (Ti)	NMT 0.5 ppt	<0.1 ppt
Tungsten (W)	NMT 0.1 ppt	<0.1 ppt
Uranium (U)	NMT 0.1 ppt	<0.1 ppt
Vanadium (V)	NMT 0.1 ppt	<0.1 ppt
Ytterbium (Yb)	NMT 0.1 ppt	<0.1 ppt
Yttrium (Y)	NMT 0.1 ppt	<0.1 ppt
Zinc (Zn)	NMT 1 ppt	0.28 ppt
Zirconium (Zr)	NMT 0.1 ppt	<0.1 ppt

The Certificate of Analysis (COA) is valid only for the lot specified and within the product's shelf life. Retesting is recommended after the expiry date or if storage conditions are compromised. We guarantee a proper quality within our General Conditions of Sales. The conditions are subject to change without prior notice.  
For queries on this COA, please contact our technical team at [technical@pure-synth.com](mailto:technical@pure-synth.com)

Test	Specification	Result
Chlorine (Cl)	NMT 2.0 ppm	<2.0 ppm
Sulphate (SO <sub>4</sub> )	NMT 1.0 ppm	<1.0 ppm
Phosphate (PO <sub>4</sub> )	NMT 0.05 ppm	<0.05 ppm

**Remarks:**

This is to certify that the mentioned batch has been analysed at the time of quality release and has been found to be in compliance with prescribed specifications

The current Specification sheet may be available at [www.pure-synth.com](http://www.pure-synth.com)

Inspect on receipt

\*Concentrated Nitric Acid can decompose to nitrogen oxides (NO<sub>x</sub>) through action of heat or light resulting in yellowish colouration. However, this does not affect the performance of the acid with respect to trace metals or oxidising power.

**Storage Condition:**

Store at room temperature and keep the container tightly closed.

Always avoid exposure to Sunlight & UV Light Source.

PureSynth Research Chemicals GmbH

*This is electronically-generated copy & is valid without a signature*

The Certificate of Analysis (COA) is valid only for the lot specified and within the product's shelf life. Retesting is recommended after the expiry date or if storage conditions are compromised. We guarantee a proper quality within our General Conditions of Sales. The conditions are subject to change without prior notice.  
For queries on this COA, please contact our technical team at [technical@pure-synth.com](mailto:technical@pure-synth.com)